

OFFICIAL BASKETBALL BOX SCORE -- G A M E T O T A L S

Westinghouse vs New Trier

12-29-93 6:30 PM at Proviso West 33rd Holiday Tour.

VISITORS: Westinghouse (9-2)

No.	N A M E	TOT-FG		3-PT		FT	FTA	REBOUNDS			PF	TP	A	TO	BLK	S	MIN	
		FG	FGA	FG	FGA			OF	DE	TOT								
30	Finley, Tyjuan	f	5	6	0	0	4	4	1	0	1	2	14	0	2	0	2	24
44	Miller, Mark	f	3	10	2	6	3	4	0	0	0	4	11	1	3	0	4	27
50	Dantzler, Damion	c	4	9	0	0	4	9	3	3	6	5	12	0	6	1	2	29
14	Sanders, Orlando	g	3	6	0	0	6	6	1	4	5	3	12	1	2	0	2	29
20	Williams, Ralph	g	6	9	2	3	0	4	2	1	3	2	14	5	1	0	2	30
22	Bullock, Kelcy		2	6	0	1	4	4	1	1	2	2	8	0	0	0	2	13
34	Harrison, Elmer		0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
40	Diggs, Calvin		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
42	Sanders, Jimmy		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
54	Fleming, Darryl		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4
TEAM REBOUNDS.....								2	3	5								
TOTALS			23	47	4	10	21	31	10	12	22	18	71	8	14	1	14	160

TOTAL FG% 1st Half:	12-23	.522	2nd Half:	11-24	.458	Game:	.489	DEADBALL
3-Pt. FG% 1st Half:	2- 5	.400	2nd Half:	2- 5	.400	Game:	.400	REBOUNDS
F Throw % 1st Half:	4- 9	.444	2nd Half:	17-22	.773	Game:	.677	4

HOME TEAM: New Trier (6-4)

No.	N A M E	TOT-FG		3-PT		FT	FTA	REBOUNDS			PF	TP	A	TO	BLK	S	MIN	
		FG	FGA	FG	FGA			OF	DE	TOT								
21	Derdzinski, Seth	f	8	11	0	1	4	7	2	5	7	4	20	1	3	1	1	20
33	Carpenter, Dan	f	5	5	0	0	4	5	3	5	8	5	14	2	4	1	0	25
40	Leahy, Bart	c	4	6	0	0	0	1	1	3	4	5	8	3	3	1	2	24
11	Kaminsky, Kevin	g	4	8	3	4	0	0	1	0	1	2	11	6	10	0	1	29
20	Happ, Jerry	g	1	6	0	2	4	4	0	2	2	5	6	3	3	0	0	30
12	Filippini, Scott		0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0+
22	Doll, Brian		0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	7
44	Ramenofsky, David		3	3	2	2	0	0	0	2	2	1	8	2	2	0	0	14
50	Leeman, Phil		0	1	0	0	0	0	0	1	1	2	0	0	0	0	0	2
TEAM REBOUNDS.....								0	2	2								
TOTALS			25	40	5	9	12	17	7	20	27	27	67	17	26	3	5	151

TOTAL FG% 1st Half:	13-19	.684	2nd Half:	12-21	.571	Game:	.625	DEADBALL
3-Pt. FG% 1st Half:	2- 3	.667	2nd Half:	3- 6	.500	Game:	.556	REBOUNDS
F Throw % 1st Half:	6- 9	.667	2nd Half:	6- 8	.750	Game:	.706	1

OFFICIALS: Fred Allman - Bob Krizek - Stan Mitchell

TECHNICAL FOULS:

Westinghouse - none

New Trier - none

ATTENDANCE: 3519

SCORE BY PERIODS:	1st	2nd	3rd	4th	OT1	OT2	TOTAL
Westinghouse	13	17	12	29	0	0	71
New Trier	15	19	14	19	0	0	67